

COVID-19 Vaccine

Important information about the COVID-19 Vaccine Janssen

Easy read guide

Version 3 14 July 2021







About this leaflet



This leaflet is about the COVID-19 Vaccine Janssen




This leaflet will tell you what COVID-19 is.



This leaflet will tell you:

- who should get the COVID-19 Vaccine and why
- when they will get the COVID-19 Vaccine



This leaflet will tell you:


- why it is important to get the COVID-19 Vaccine
- who should not get the COVID-19 Vaccine
- the side effects of the COVID-19 Vaccine
- safety of the COVID-19 Vaccine
- where you can get more information on the COVID-19 Vaccine.



This will help you to make an informed decision to get the COVID-19 Vaccine or not.

The choice is yours.

What is COVID-19?



Coronavirus (COVID-19) is a sickness that has spread around the world.




COVID-19 affects your lungs. It is a very serious sickness.



COVID-19 can make it hard for you to breathe.





- you may feel hot with a temperature of 38 degrees Celsius or more
- you may have a cough
- you may have difficulty breathing
- you may notice a change in your taste or your smell.



COVID-19 symptoms are like flu and cold symptoms.



It can take 2 weeks before you show symptoms of COVID-19.



If you have any symptoms you will need to self-isolate in your room.



Your GP or Doctor will arrange for you to have a COVID-19 test.



You can get more information at www.hse.ie/coronavirus



You can telephone the HSE Live helpline The number is 1800 700 700

Who is most at risk of COVID-19?



Older people and people with certain health conditions are at higher risk from COVID-19.

Other people can get sick with COVID-19.

What is the COVID-19 Vaccine?




The COVID-19 Vaccine helps your body to protect you from COVID-19.



The COVID-19 Vaccine will help protect you from COVID-19 by making antibodies.

Antibodies help your body fight infections like hepatitis and whooping cough.



Antibodies will help your body fight COVID-19.

This is called immunity.

Who should get the COVID-19 Vaccine?



The HSE,

The World Health Organization and The Department of Health think you should get the COVID -19 Vaccine when it is offered to you.

People will be asked if they would like to have the COVID-19 Vaccine as supplies arrive in Ireland.

People will be notified of their Vaccine in groups.

You can see the list of groups here: www.gov.ie/covid19Vaccine



When it is your turn we will let you know how to get your Vaccine.

You can read the patient information leaflet before you get the Vaccine.

You can find the manufacturer's patient information leaflet

here: www.hse.ie/covid19VaccinePIL



The COVID-19 Vaccine will not cost you any money.

Who will give me my COVID-19 Vaccine?




The person who will give you your COVID-19 Vaccine is called a vaccinator.

Your vaccinator is the person who gives you your Vaccine.
They are trained by the HSE to give

Why is it important to get the COVID-19 Vaccine?

COVID-19 Vaccines.



When you get the COVID-19 Vaccine you are protecting yourself from getting COVID-19.

When you get the COVID-19 Vaccine you could be protecting other people from getting COVID-19.

I already had COVID-19 do I need to get the COVID-19 Vaccine?



Yes.

You can get the COVID-19 Vaccine if you have tested positive for COVID-19.

You can get the COVID-Vaccine 4 weeks after you first notice symptoms or

4 weeks after you tested positive for COVID-19.

I have COVID-19 now should I get the COVID-19 Vaccine?



No.

You should not get the COVID-19 Vaccine until you get better from COVID-19.

You can get the COVID-19 Vaccine 4 weeks after you first notice symptoms or

4 weeks after you tested positive for COVID-19.

What is the COVID-19 Vaccine called?



The COVID-19 Vaccine that you are being offered is called COVID-19 Vaccine Janssen. It is made by a company called Janssen.

This Vaccine will help your body make antibodies to fight COVID-19.

How will the COVID-19 Vaccine be given to me?



You will be given a patient information leaflet on the COVID-19 Vaccine Janssen.

You will be asked to give your consent if you are happy to get the COVID-19 Vaccine Janssen.

You can say yes. You can say no. The choice is yours.



Your COVID-19 Vaccine Janssen will be given to you by your vaccinator.

They are trained by the HSE to give COVID-19 Vaccines.



Your COVID-19 Vaccine Janssen is given to you as an injection.




The injection is given in your upper arm.

How many doses of COVID-19 Vaccine do I need to get?



You will need 1 dose of the COVID-19 Vaccine Janssen.

Is the COVID-19 Vaccine safe?



The COVID-19 Vaccine Janssen has been tested by scientists to see if it is safe.

A scientist is a person who tries to understand how our world works.

It has been tested on a lot of people.



The COVID-19 Vaccine Janssen has been approved to be used here in Ireland by the European Medicines Agency.

You can find out more here: www.ema.europa.eu

What are the side effects of the COVID-19 Vaccine?



Some people get side effects from the COVID-19 Vaccine Janssen Most of these are mild to moderate. Not everyone will get them.

When more people get the COVID-19 Vaccine Janssen we will know more about the side effects.



Some of these side effects are:

 pain, redness or swelling where you had your injection



 sore knees or elbows or other bone joints



- cough
- feeling sick



sore head and sore muscles



• feeling tired



 fever or a high temperature of 38 degrees Celsius or more.



Some people get other side effects. These do not happen often they are:

• back pain and muscle weakness



lack of energy



• pain in your arms or legs



sore throat



sneezing



• a red itchy rash



sweating



- shaking in your hands or legs this is called a tremor
- very rare blood clots with low platelets

It is very rare for someone to have a severe allergic reaction to the COVID-19 Vaccine Janssen Your vaccinator is trained to treat you if you have a serious allergic reaction.

What are very rare blood clots?









A blood clot happens when blood inside your body clumps together.

A blood clot can cause death.

A very small number of people may get blood clots with low platelets after getting the COVID-19 Vaccine Janssen.

This can be dangerous.

This risk of getting a rare blood clot with low platelets after getting the COVID-19 Vaccine Janssen is higher if you are under 50 years of age, especially in women.

This is very rare.

You can talk to your Pharmacist or GP or Doctor or Nurse about the risks and benefits of getting the Vaccine.

Getting a blood clot with low platelets after you have your COVID-19 Vaccine Janssen is very rare.

It usually can happen up to 2 weeks or 14 days after you get your COVID-19 Vaccine Janssen.

Tell your Doctor or Nurse straight away if you have symptoms of a blood clot in the weeks after you get your COVID-19 Vaccine Janssen.



Blood clot symptoms include:

being breathless



pain in your chest



stomach pain



swollen or cold leg




 very sore headache which gets worse



- blurred vision
- confusion
- seizures



- bruising and bleeding under your skin where you did not have an injury before
- some small bruises
- red or purple spots under your skin
- blood blisters under the skin





A very small number of people may get a condition called

Capillary Leak Syndrome.

This can be very serious. It can cause death. This is very rare.

Symptoms of Capillary Leak Syndrome are:

- rapid swelling in your arms or legs
- sudden weight gain

You may also feel faint because of low blood pressure.

Capillary Leak Syndrome can happen within days of getting your COVID-19 Vaccine Janssen.

Tell your Doctor, your GP or your Nurse if you have symptoms of Capillary Leak Syndrome in the days after you get your COVID-19 Vaccine Janssen.


What if I get a high temperature after I get the COVID-19 Vaccine?



If you get a high temperature after you get the COVID-19 Vaccine Janssen it normally goes away in 2 days.

If it does not go away contact your Doctor, Nurse or Pharmacist.

Can the COVID-19 Vaccine give me COVID-19?



No.

COVID-19 Vaccine Janssen cannot give you COVID-19.

If you get a high temperature more than 2 days after you get the COVID-19 Vaccine Janssen you will need to self-isolate.
Your Doctor will arrange for you to have a COVID-19 test.

Who should not get the COVID-19 Vaccine?



You should not get the COVID-19 Vaccine Janssen if you have had a bad reaction to any of the ingredients.

This includes an ingredient called polysorbate 80.

You can find out about the ingredients here:

www.hse.ie/covid19VaccinePIL



You should not get the COVID-19 Vaccine Janssen if you have had a bad reaction to the COVID-19 Vaccine Janssen before or to the AstraZeneca Vaccine.

Do not get the COVID-19 Vaccine Janssen if you have had blood clots with low platelet after getting the AztraZeneca Vaccine.

Do not get the COVID-19 Vaccine Janssen if you already have Capillary Leak Syndrome

Do not get the COVID-19 Vaccine Janssen if you have been told by a Doctor that you should not have the COVID-19 AstraZeneca Vaccine for medical reasons.



Talk to your Doctor before getting the COVID-19 Vaccine Janssen if you have ever had a severe allergic reaction including to any other vaccine or medication.

The vaccinator who is giving you the COVID-19 Vaccine will answer any questions you have.

I am under 50 years old. What Vaccine should I get?



The COVID-19 Vaccine Pfizer and the COVID-19 Vaccine Moderna is recommended for people who are under 50 years old.

The COVID-19 Vaccine Janssen is recommended for people who are 50 years old and over.



The European Medicine Agency has approved the COVID-19 Vaccine Janssen for people who are aged 18 years old and over because the benefits of getting the COVID-19 Vaccine Janssen are higher than the risks.

This means more people can choose to get vaccinated quicker and more people will be protected against COVID-19.




The risk of developing blood clots with low platelets is very low.

It is higher in those under 50 years of age.

If you are under 50 years of age and have not had a COVID-19 Vaccine yet talk to your vaccinator, your GP your Doctor or your Pharmacist about the risks and benefits for you of getting the COVID-19 Vaccine Janssen.

Should I get the COVID-19 Vaccine if I have a high temperature?



No.

You should not get the COVID-19 Vaccine Janssen if you have a high temperature.

You can get the COVID-19 Vaccine Janssen when you are feeling better and do not have a high temperature.

Is it safe to get the Vaccine for people who are pregnant or breastfeeding?





The COVID-19 Vaccine Janssen is not recommended for people who are pregnant.

People who are pregnant will be offered a different Vaccine.

Talk to your Doctor about getting a different COVID-19 Vaccine.

You do not need to stop breastfeeding.

How long does it take for the COVID-19 Vaccine to work?



The COVID-19 Vaccine Janssen will take 14 days to work after you get your dose of COVID-19 Vaccine Janssen.

Most people who get the COVID-19 Vaccine Janssen will have immunity and be protected from COVID-19.

You may still get COVID-19 after you get the COVID-19 Vaccine Janssen but your symptoms may not be as bad.

Does the COVID-19 Vaccine work for everyone?



Scientists have said the COVID-19 Vaccine Janssen works for most people who get it.

If I get side effects of the COVID-19 Vaccine who should I tell?



If you get side effects after you get your COVID-19 Vaccine Janssen you can report them to your Doctor or Nurse or Pharmacist.



All side effects can be reported to the Health Products Regulatory Authority You can find out more here: www.hpra.ie/report

Your Doctor or Nurse or Pharmacist can make a report for you.

How long will I be protected from COVID-19 after I get the COVID-19 Vaccine?



We do not know how long you will be protected from COVID-19 after you get the COVID-19 Vaccine Janssen.

Scientists are still trying to find this out.

Can I spread COVID-19 to other people after I get the COVID-19 Vaccine?



We do not know yet if you can still spread COVID-19 after you get the COVID-19 Vaccine Janssen.



It is still very important to

- wash your hands
- wear a mask or face covering
- stay 2 metres apart.

How will my personal information be used?



We need to get some personal information from you to make sure we give the Vaccine to you in the right way.

The HSE have to protect your information and keep it private.
This is called
General Data Protection Regulation.
You can find out more here:
www.hse.ie/eng/gdpr

Where can I get further information about the COVID-19 Vaccine?



You can get further information online at

www.hse.ie/covid19Vaccinematerials

You can read the patient information leaflet here:

www.hse.ie/covid19VaccinePIL



You can telephone HSE Live helpline. The number is 1800 700 700 This easy to read booklet was proof-read by;
Mr Paul Gallen
Co-collaborator & Ambassador for Intellectual Disability Rights &
Ms Geraldine Rabbitte
Co-collaborator & Ambassador for Intellectual Disability Rights

Version 3 Published by HSE 14 July 2021

This leaflet will be updated as new information becomes available. For the latest information on this COVID-19 Vaccine, go to hse.ie

© European Easy-to-Read Logo: Inclusion Europe. More information at https://www.inclusion-europe.eu/easy-to-read/